Windows®. Life without Walls™. Fujitsu recommends Windows 7.

FUJITSU

Data Sheet Fujitsu LIFEBOOK P770 Notebook

The slim companion to go

LIFEBOOK P770

Small, lightweight and nevertheless high performance? The answer to those requirements is the LIFEBOOK P770. With one of the smallest footprints in the 12-inch market and weighing only 1.4 kg, it offers the user quite a range of goodies: all standard interfaces including HDMI, 3G/UMTS, WLAN and Bluetooth, an integrated webcam and long battery runtime. As data security is immensely important for mobile users, the LIFEBOOK P770 meets such requirements thanks to its fingerprint sensor and optional TPM.



Elegant design combined with smallest size

Ultimate mobility for maximum comfort while on the move.

■ 1.4kg notebook, one of the smallest footprints, robust light-weight magnesium lid

Unlimited connectivity


Wireless connectivity anytime and anywhere, even if there is no hot spot nearby.

■ Fast connection with integrated 3G/UMTS, WLAN and Bluetooth

Highest security

Protect your data and information from unauthorized access.

 Benefit from our end-to-end anti-theft concept and system and user protection, such as Advanced Theft Protection, Computrace® enabled BIOS, fingerprint sensor, optional TPM Module and SmartCase Logon+



This system is designed from scratch to save energy, from processor up to special features.

Intel® Core™ i7-620UM processor with vPro™ technology, optional Solid State Disk (SSD), LED display, EcoButton and Power Management system



Different people have different requirements.

■ Different design options (matt/glossy) and palm rest, optional 3G/UMTS, SSD drive, port replicator























Components

Operating system					
Operating system	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit				
Operating system compatible	Genuine Windows® XP Professional				
Operating system notes	Driver support for Microsoft® Windows® XP Professional Dependent on configuration Windows 7® versions are: Microsoft Office 2007 ready Microsoft Office 2010 preloaded. Purchase a Product Key to Office 2010 suite.	o activate a full Microsoft	Driver support for Microsoft® Windows® XP Professional Microsoft Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite. Microsoft Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite.		
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO [MMIC			
	4 GB (1 module(s) 4 GB) DDR3, 1066 MHz, PC3-8500, SO [DIMM			
	4 GB (2 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO [DIMM			
Supported capacity RAM (max.)	8 GB				
Memory slots total	2				
Memory slot type	DIMM (DDR3)				
Hard disk drives (internal)	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.				
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to h Accessible capacity may vary, also depending on used soft				
WLAN (optional)	Atheros Minicard b/g/n				
	Intel® Centrino® 6200 802.11 a/b/g/n				
Wireless technologies					
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas				
WLAN notes	Import and usage according to country-specific regulations.				
3G/UMTS (optional)	Sierra Wireless Gobi 2000 (downlink 7.2 Mbit/s, uplink 5.76 Mbit/s)				
Bluetooth (optional)	Bluetooth 2.1				
Drives	DVD Super Multi				
Base unit	LIFEBOOK P770, matt black LIFEBOOK P770, glossy black	LIFEBOOK P770, matt black	LIFEBOOK P770, glossy black		
General system information					
Processor	Intel® Core™ i7-620UM processor (1.06 GHz), 4 MB, 800 MHz	Intel® Core™ i7-660UM processor (1.33 GHz), 4 MB, 800 MHz	Intel® Core™ i7-66UM processor (1.33 GHz), 4 MB, 800 MHz		
Chipset	Intel® QS57				
Chipset notes	supports iAMT 6.0, vPro requires Core i5-5xx / i7 processor,	Intol W. LANI & TDM modulo			

Page 2 / 7 http://ts.fujitsu.com/mobile

General system information				
BIOS features	BIOS Flash EPRON BIOS based on Ph	A noenix TrustedCore Notebook		
Product design				
Color	Black	Black	Black	Black
Material	Matt	Glossy	Matt	Glossy
Display				
Display	30.7 cm (12.1-in	ch), TFT, (WXGA), LED anti-glar	e display, 1280 x 800 pixel	
Graphics				
TFT resolution (HDMI)	up to 1920 x 108	0		
TFT resolution (VGA)	up to 1920 x 120	0		
TFT resolution (DVI on Port Replicator)	up to 1920 x 120	0		
Max. resolution external display	1920 x 1200 / tru	e color / 60 Hz		
Graphics brand name	Intel® HD Graphic	CS .		
Graphics features	DualView (Windo	ws® XP & Windows® Vista)		
Interfaces				
Memory card slots	1 (SD)		1 (SD)	
ExpressCard slots	1 (34mm and 54	mm supported)	1 (34mm and 54i	mm supported)
SIM card slot	1 (usable only wi	th 3G/UMTS)	1 (usable only wi	th 3G/UMTS)
USB 2.0 total	3		3	
VGA	1		1	
HDMI	1		1	
Ethernet (RJ-45)	1		1	
DC-in	1		1	
Audio: line-in / microphone	1		1	
Audio: line-out / headphone	1		1	
Internal microphones	1		1	
Docking connector for Port Replicator	1		1	
Kensington Lock support	1		1	
Wired communication				
LAN	Built-in 10/100/1	000 MBit/s Intel® 82577 LM		
Keyboard and pointing devices				
	Spill-resistant key			
		ard keys: 83, Keyboard pitch: 1		nm
		chpad with two mouse buttons	s and fingerprint sensor	
	Application butto LaunchCenter bu			
	Fingerprint senso			
 Multimedia				
Audio type	On board			
Audio cype Audio codec	Realtek ALC269			
Audio codec Audio features	Internal micropho	nne		
Camera	Built-in webcam,			
		egop///ci		
Power supply AC adapter	10 1/ / (0 11/ 2 16	۸۱		
AC adapter	19 V / 60 W (3.16			
Rated voltage range	100 V - 240 V (AC 50 Hz - 60 Hz	шрисј		
Rated frequency range		oll 5200 mAh E6 Mh		
1st battery	-	ell, 5200 mAh, 56 Wh ell, 5800 mAh, 63 Wh		
	LI-IUII DALLEI Y U-C	CII, JOOO IIIAII, OJ WII		

Page 3 / 7

Power supply	
Battery features	Rapid charge with 5200 mAh batteries
Runtime 1st battery	8 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Related Processors for power consumption	
ink to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=f6c5b917-ea55-407c-aa01-4e305635ec8d
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	282 x 215 x 29.9
Veight	1.4 kg
Veight notes	Actual weight may vary depending on configuration
Operating ambient temperature	5 - 35℃
Operating relative humidity	20 - 85 % (running)
Additional Software	
Additional software (preinstalled)	Adobe Acrobat Reader
•	Application Panel
	Display Manager
	ShockSensor Utility
	Power Saving Utility
	Wireless Selector Utility
	EasyGuide online user documentation
	Nero Essentials S (burning software)
	Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP
	Toshiba Stack 4.x (not available for Windows® 7 operating systems)
Additional software (optional)	Recovery DVD (Windows® 7)
	Drivers & Utilities DVD (DUDVD)
	UMTS connection manager (optional with UMTS)
	DVD playback software
Manageability	
Manageability features	DeskUpdate Driver management
	iAMT 6.0
	Intel® vPro™ technology
Manageability type	DeskView 10.x client management including:
DeskView features	On/Offline remote client management
	Detailed system inventory management and reports
	BIOS Management
	Remote power management
	System notifications
	Security Remote Control
	DeskView Helpdesk Integration
	WoL (Wake on LAN)
Supported standards	WMI DVF
	PXE
Managoahilin, lial.	BootP (made4you)
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html
Security	
Physical security	Kensington Lock support
System security	Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 90 days version
User security	Integrated Fingerprint Sensor
	Hard disk password
	SystemLock BIOS SmartCard security
	User and supervisor BIOS password

Page 4 / 7

Product			
Europe	CE!		
	CB		
Global	RoHS (Restriction of hazardous substances)		
	WEEE (Waste electrical and electronical equipment)		
	Microsoft Operating Systems (HCT / HCL entry / WHQL)		
	WiFi certified		
	ENERGY STAR® 5.0		
	EPEAT® Gold (dedicated regions)		
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.asp)X	
Port Replicator interfaces (optional)			
	Portreplicator\AC Adapter\EU-Cable Kit	Portreplicator\AC Adapter\GB-Cable Kit	
OC-in	1	1	
Power on switch	1	1	
USB 2.0 total	4	4	
/GA	1	1	
DVI	1	1	
Ethernet (RJ-45)	1	1	
SATA	1	1	
Varranty			
Standard Warranty	2 years		
Service level	Collect & Return Service / Bring-in Service (dependin	g on country)	
Maintenance and Support Services - t	he perfect extension		
ecommended Service	3 years, Collect and Return Service, where available: On-site Service		
pare Parts availability	5 years		
Service Weblink	htttp://ts.fujitsu.com/Supportservice		



Recommended Accessories

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)



Flexibility, expandability, desktop replacement – to name just a few benefits of Fujitsu docking options.

Order Code: S26391-F794-L100

LIFEBOOK bundle (Port rep\AC Adapter\UK-Cable Kit)



Flexibility, expandability, desktop replacement – to name just a few benefits of Fujitsu docking options.

Order Code: S26391-F794-L200

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Privacy filter



Privacy filters help block the screen view from anyone viewing the computer Order Code: from a side view. 3M's unique microlouver privacy technology allows S26391-F6097-L312 persons directly in front of the computer to see on-screen data clearly. 3M offers the broadest line of computer filters available.

Prestige Case Mini



Zip-down case with cushioned notebook compartment; new front design Order Code: with separate exterior compartments for accessories like AC Adapter, cables S26391-F119-L151 etc., cushioned shoulder strap.

Page 6 / 7 http://ts.fujitsu.com/mobile

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK P770, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK P770, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

http://ts.fujitsu.com/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu. com/terms_of_use.html Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2011-03-07 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions