Windows®. Life without Walls™. Fujitsu recommends Windows 7.



Data Sheet Fujitsu LIFEBOOK S710 Notebook

Your Best Friend on the Move

The LIFEBOOK S710 offers the perfect balance between low weight and high-end performance. Weighing only 2.15kg it is one of the lightest modular 35.6 cm (14-inch) notebooks. A flexible modular bay and an excellent battery life enable convenient working. Integrated 3G/UMTS and the optional webcam enable connectivity anytime, anywhere.

Ergonomic working


Enjoy constant access to all your data thanks to a versatile mobile device.

■ Lean, lightweight notebook weighing only 2.15 kg with a 35.6 cm (14-inch) HD display with LED backlight, with up to 14 hours running time with a second battery



Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby

■ Integrated DisplayPort, eSATA, FireWire, optional integrated 3G/UMTS, WLAN and Bluetooth



Secure and effective working for the most demanding of users in every kind of situation.

■ Spill-resistant keyboard and further innovative highlights

Maximum security

Protect your company data against unauthorized third-party access.

Benefit from our end-to-end anti-theft concept and system and user protection, such as Computrace® enabled BIOS, integrated SmartCard slot, optional fingerprint sensor, TPM module and SmartCase Logon+

Safety

Protect your company data against unauthorized third-party access.

■ Benefit from our holistic concept of theft protection plus system and user security.























Components

Processor	Intel® Core™ i7-640M processor (2.80 GHz, 4 MB) Intel® Core™ i5-560M processor (2.66 GHz, 3 MB)		
	Intel® Core™ i5-560M processor (2.66 GHz, 3 MB) Intel® Core™ i5-460M processor (2.53 GHz, 3 MB) *		
	Intel® Core™ i3-380M processor (2.53 GHz, 3 MB) *		
	Intel® Core™ i3-370M processor (2.40 GHz, 3 MB) *		
	Intel® Celeron® processor P4600 (2.00 GHz, 2 MB)		
	*Processor only for retail, SMB, education and government		
Operating system			
Operating system	Genuine Windows® 7 Professional 64-bit		
Operating system compatible	Genuine Windows® XP Professional Genuine Windows Vista® Business 32-bit		
Operating system notes	Driver support for Microsoft® Windows® XP Dependent on configuration Windows 7® versions are:		
	Microsoft Office 2007 ready Buy Microsoft® Office 2010 to use the full-featured Office software on this PC.		
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM		
•	4 GB (1 module(s) 4 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM		
Base unit memory	LIFEBOOK S710 14.0-inch Fingerprint LIFEBOOK S710 14.0-inch		
Supported capacity RAM (max.)	8 GB		
Memory slots total	2		
Memory slot type	DIMM (DDR3)		
Memory notes	DDR3 - 1066 MHz		
Hard disk drives (internal)	SSD SATA, 128 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T.		
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software		
WLAN (optional)	Atheros Minicard b/g/n		
•	Intel® Centrino® 6200 802.11 a/b/g/n		
Wireless technologies			
Antennas	2 dual band antennas, 2 UMTS antennas, 1 Bluetooth antenna		
Bluetooth	Bluetooth 2.1		
WLAN notes	Import and usage according to country-specific regulations.		
3G/UMTS (optional)	Sierra Wireless Gobi 2000 (UMTS downlink speed 7.2 Mbit/s, UMTS uplink speed 5.76 Mbit/s)		
Display	35.6 cm (14-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 220 cd/m		
Modular bay options	2nd battery		
	2nd hard disk drive		
	DVD Super Multi		
	Weight saver		
	HEEDOOM CTADA A COLUMN TO THE		
Base unit	LIFEBOOK S710 14.0-inch Fingerprint LIFEBOOK S710 14.0-inch		

Page 2 / 7

General system information					
Chipset	Intel® QM57				
Chipset notes	supports iAMT 6.0, vPro requires Core i5-5xx / i7 proces	ssor Intel W-I AN & TPM module			
BIOS features	BIOS based on Phoenix TrustedCore Notebook				
Graphics					
TFT resolution (DisplayPort)	up to 2560 x 1600				
TFT resolution (VGA)	up to 1920 x 1200				
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200				
Graphics brand name	Intel® HD Graphics				
Graphics features	DualView				
Graphics notes	Shared memory depending on main memory size and operating system				
Shared video memory	up to 1695 MB				
Interfaces					
Memory card slots	1 (SD/MS/MSPro)	1 (SD/MS/MSPro)			
ExpressCard slots	1 (34mm and 54mm supported)	1 (34mm and 54mm supported)			
SmartCard slot	1	1			
SIM card slot	1 (usable only with 3G/UMTS)	1 (usable only with 3G/UMTS)			
Modem (RJ-11)	1 (optional)	1 (optional)			
eSATA	1	1			
USB 2.0 total	3	3			
FireWire (IEEE1394)	1	1			
VGA	1	1			
DisplayPort	1	1			
Ethernet (RJ-45)	1	1			
DC-in	1	1			
Audio: line-in / microphone	1	1			
Audio: line-out / headphone	1	1			
Internal microphones	2 digital array microphones	2 digital array microphones			
Docking connector for Port Replicator	1	1			
Kensington Lock support	1	1			
Wired communication					
Modem type	Optional: 56 K V.92 modem MDC1.5				
LAN	Built-in 10/100/1000 MBit/s Intel® 82577 LM				
Keyboard and pointing devices					
	Spill-resistant keyboard Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm				
	EcoButton	EcoButton			
	Fingerprint sensor	LockWorkstation button			
	MobilityCenter button	MobilityCenter button			
	LockWorkstation button	TouchStick (optional) Touchpad with two mouse buttons and one scroll button			
	TouchStick (optional) Touchpad with two mouse buttons and scroll via	Application buttons			
	fingerprint sensor	Status LED			
	Application buttons	Status LEB			
	Status LED				
Multimedia					
Audio type	On board				
Audio codec	Realtek ALC269				
Audio features	Stereo speakers, 2x digital array microphones				
Camera	Optional: Built-in webcam, 1.3 megapixel, VGA camera				
Power supply					
AC adapter	19 V / 80 W (4.22 A)				

Page 3 / 7

Power supply	1001/ 2/01/461 - 1				
Rated voltage range	100 V - 240 V (AC Input)				
Rated frequency range	50 Hz - 60 Hz				
1st battery options	Li-lon battery 6-cell, 5200 mAh, 56 Wh				
	Li-lon battery 6-cell, 5800 mAh, 62 Wh				
2nd battery (optional)	Li-lon battery 3-cell, 3800 mAh, 41 Wh				
Battery features	Rapid charge with 5200 mAh batteries				
Benchmark	Mobile Mark 2007 (readers mode e.g. surfing the internet, writing E-mails, viewing documents)				
Runtime 1st battery	up to 8:30 h				
Runtime 1st + 2nd battery	up to 14 h				
Battery charging time	~160min (5,200mAh) ~ 220min (5,800mAh) ~ 160 min (5,200 mAh) ~ 220 min (5,800 mAh)				
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.				
Related Processors for power consumption					
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=0960f71b-ec39-44d1-8743-a80712ac3048				
Dimensions / Weight / Environmental					
Dimensions (W x D x H)	340 x 245 x 35 mm				
Weight	2.15 kg				
Weight notes	Actual weight may vary depending on configuration				
Operating ambient temperature	5 - 35C				
Operating relative humidity	20 - 80 %				
Additional Software					
Additional software (preinstalled)	Adobe Acrobat Reader Application Panel Display Manager Power Saving Utility Wireless Selector Utility EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Toshiba Stack 4.x (not available for Windows® 7 operating systems)				
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) SmartCase Logon+				
Manageability					
Manageability technology	DeskUpdate Driver management iAMT 6.0 Intel® vPro™ technology				
Manageability software	DeskView 10.x client management including:				
DeskView components	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)				
	WOL (Wake OIT LAIV)				
Supported standards	WMI PXE				
Supported standards Manageability link	WMI				
	WMI PXE BootP (made4you)				

Page 4 / 7

Security						
Audit proof protection		Computrace® enabled BIOS Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 90 days version				
Access protection		User and supervisor BIOS password SystemLock BIOS SmartCard security Integrated SmartCard slot Optional: SmartCase Logon+				
Product						
Europe	CE CE!					
Global	WEEE (Waste electrical and ele Microsoft Operating Systems (H WiFi certified ENERGY STAR® 5.0					
Compliance link	https://sp.ts.fujitsu.com/sites/c	https://sp.ts.fujitsu.com/sites/certificates/default.aspx				
Port Replicator interfaces (option	aal)	Doub societabas/AC ado abas/EU a	inhla liik. Dark sanlisaka (AC adanka (CD anhla lii)			
DC-in	1 (19V)	1 (19V)	able kit Port replicator/AC adapter/GB-cable kit 1 (19V)			
Power on switch	1 (190)	1 (190)	1 (134)			
Audio: headphone	<u>'</u> 1	1	1			
Audio: microphone	1	1	1			
USB 2.0 total	4	4	4			
DisplayPort	1 (up to 2560 x 1600)	1 (up to 2560 x 1600)	1 (up to 2560 x 1600)			
VGA	1	1	1			
DVI	1 (up to 1920 x 1200)	1 (up to 1920 x 1200)	1 (up to 1920 x 1200)			
Serial (RS-232)	1	1	1			
Ethernet (RJ-45)	1 (10/100/1000)	1 (10/100/1000)	1 (10/100/1000)			
Parallel	1	1	1			
Kensington Lock support	2	1	1			
eSATA	1	1	1			
Warranty						
Standard Warranty	1 year	1 year				
Service level Maintenance and Support Service		-In Service (depending on country)				
Recommended Service	5x9, Response Time: Next Busi	5x9, Response Time: Next Business Day or On-site Service				
Spare Parts availability	5 years	5 years				
Service Weblink	http://ts.fujitsu.com/Supportse	http://ts.fujitsu.com/Supportservice				
Felion Literate STO real Cost SIGNS No. 1 Accessed STORING No. 1 Accessed STORING No. 1 Accessed STORING No. 1 Accessed STORING No. 1 Accessed No. 1 Accesse		CHIEF CHIEF	MIEJSCE			













Recommended Accessories

Page 5 / 7 http://ts.fujitsu.com/mobile

LIFEBOOK bundle (Port rep\AC Adapter\UK-Cable Kit)



Flexibility, expandability, desktop replacement to name just a few benefits Order Code: of Fujitsu docking options.

S26391-F516-L200

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)



Flexibility, expandability, desktop replacement to name just a few benefits Order Code: of Fujitsu docking options.

S26391-F516-L100


2nd battery



With a second battery you can maximize the working time of your notebook Order Code: and work wherever you want for a whole working day. Just put the 2nd battery into the modular bay and enjoy truly mobile working free from the power socket!

S26391-F440-L200

Privacy filter



Privacy filters help block the screen view from anyone viewing the computer Order Code: from a side view. 3M's unique microlouver privacy technology allows S26391-F6097-L115 persons directly in front of the computer to see on-screen data clearly. 3M

ComboSaver



Protect your notebook-and the personal information you have stored-from theft. Lock it with this easy-to-use, keyless 4-wheel combination lock from Kensington, the leader in notebook security. .

Order Code: S26361-F1650-L500

Prestige Case Midi



Zip-down case with cushioned Notebook compartment; separate second compartment for mobile accessories and documents; exterior compartment S26391-F119-L60 with workstation for mobile accessories; cushioned shoulder strap; trolley fastening strap an the back side For Tablet PC and Notebooks up to 370 x 295 x 50 mm

Order Code:

Presenter IV Air



Do you often give presentations? Would you like to communicate pro actively with your audience during your presentations? Step up to the plate S26381-K440-L100 and make use of your freedom of movement with the Presenter IV Air Whether you're leafing through informative material, adjusting audio files or using the laser pointer to indicate special features, you have everything reliably under control with this presenter.

Thanks to the 2D air mouse function you can even do away with the cable mouse and navigate through your files with ease

Order Code:

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK S710, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK S710, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

http://ts.fujitsu.com/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu. com/terms_of_use.html Copyright Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2011-06-01 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright Fujitsu Technology Solutions