

HP xw8600 WORKSTATION

Extreme performance with unlimited possibilities



The HP xw8600 Workstation delivers the extreme performance that allows you to tackle the most demanding challenge. Building upon and advancing the performance and expandability of the widely successful HP xw8400, the HP xw8600 Workstation provides power, versatility and reliability for massive compute and visual capacity—giving you and your business a professional edge.

Extraordinarily powerful

The HP xw8600 takes high performance to the extreme delivering leading performance for computationally-intense applications. Meet your most demanding engineering, digital content creation, video and multimedia production challenges with the latest Intel® Dual-Core¹ and Quad-Core processors. Integrating the Intel® 5400 chipset, the HP xw8600 delivers 4x the graphics processing throughput capability of previous generation systems along with support for high-end graphics cards and multiple displays. The 80 PLUS high-efficiency power supply and low-power processors give you maximum compute power while making the most of every watt of power.

Uniquely versatile

The HP xw8600 has the greatest expandability and range of options in the HP Workstation family. Built on a space-efficient, tool-less chassis, the HP xw8600 is designed to make serviceability simple and comes with remote management and support capabilities that make your work life easier.

Like all of our workstations, the HP xw8600 is designed to run quietly and be less disruptive to your work environment. Choose from our leading Linux® support (simplified installation, dedicated Linux R&D team, single point of customer support) or a breadth of Microsoft® Windows®-based OS choices.

Definitively reliable

Work with greater confidence and improve the ability to focus on your job, with reliable HP Workstation engineering and certified solutions backed by world-class service and support. Extensive testing helps ensure the quality for which HP is renowned. In-depth engineering and technical relationships with ISVs to test and certify applications, OS, and hardware configurations assist in delivering faster, more reliable applications.

HP xw8600 WORKSTATION

HP recommends Windows Vista® Business

Form factor	Minitower
Operating systems	Genuine Windows Vista® Business 32-bit* Genuine Windows Vista® Business 64-bit* Genuine Windows Vista® Business 32-bit* downgrade to Genuine Microsoft® Windows® XP Professional 32-bit** Genuine Windows Vista® Business 64-bit* downgrade to Genuine Microsoft® Windows® XP Professional 64-bit** (available 02/08) Red Hat Enterprise Linux® WS 4 64-bit HP Installer Kit for Linux (includes drivers for both 32-bit and 64-bit OS versions of Red Hat Enterprise Linux® WS4 and WS5)
Available processors	Intel® Xeon® processor² E5205³ 1.86 GHz⁴ 6 MB L2 1066 MHz FSB⁵ Intel Xeon processor² E5240³ 3.00 GHz⁴ 6 MB L2, 1333 MHz FSB⁵ Intel Xeon processor² X5260³ 3.33 GHz⁴ 6 MB L2, 1333 MHz FSB⁵ Intel Xeon processor² X5272³ 3.40 GHz⁴ 6 MB L2, 1600 MHz FSB⁵ Quad-Core¹ Intel Xeon processor² E5405³ 2.00 GHz⁴ 2x6 MB L2 cache 1333 MHz FSB⁵ Quad-Core¹ Intel Xeon processor² E5410³ 2.33 GHz⁴ 2x6 MB L2 cache 1333 MHz FSB⁵ Quad-Core¹ Intel Xeon processor² E5420³ 2.50 GHz⁴ 2x6 MB L2 cache 1333 MHz FSB⁵ Quad-Core¹ Intel Xeon processor² E5430³ 2.66 GHz⁴ 2x6 MB L2 cache 1333 MHz FSB⁵ Quad-Core¹ Intel Xeon processor² E5440³ 2.83 GHz⁴ 2x6 MB L2 cache 1333 MHz FSB⁵ Quad-Core¹ Intel Xeon processor² E5440³ 2.83 GHz⁴ 2x6 MB L2 cache 1333 MHz FSB⁵ Quad-Core¹ Intel Xeon processor² X5450³ 3.00 GHz⁴ 2x6 MB L2 cache 1333 MHz FSB⁵ Quad-Core¹ Intel Xeon processor² X5460³ 3.16 GHz⁴ 2x6 MB L2 cache 1333 MHz FSB⁵ Quad-Core¹ Intel Xeon processor² X5460³ 3.00 GHz⁴ 2x6 MB L2 cache 1333 MHz FSB⁵ Quad-Core¹ Intel Xeon processor² X5460³ 3.00 GHz⁴ 2x6 MB L2 cache 1333 MHz FSB⁵ Quad-Core¹ Intel Xeon processor² X5482³ 3.00 GHz⁴ 2x6 MB L2 cache 1600 MHz FSB⁵ Quad-Core¹ Intel Xeon processor² X5482³ 3.20 GHz⁴ 2x6 MB L2 cache 1600 MHz FSB⁵
Chipset	Intel® 5400
Memory	DDR2-667 and DDR2-800 ECC Memory; up to 128 GB available with 16 DIMM slots and 8 GB DDR2-667 DIMMs
Drive controllers	Integrated 6 channel SATA 3.0 Gb/s Controller, RAID 0, 1, 10, 5 capability ⁶ ; integrated 8 channel Serial Attached SCSI (SAS) 3.0Gb/s Controller supporting RAID level 0, 1, 10 capability (Factory integrated RAID is Microsoft OS's only.)
Hard drive(s)	Up to 5 SATA drives; 5 TB max; 80 GB ⁷ (7200 rpm) SATA 3.0 Gb/s; or 160, 250, 500, or 1000 GB ⁷ (7200 rpm) SATA 3.0 Gb/s NCQ; or 80 or 160 GB ⁷ (10K rpm) SATA 1.5-Gb/s NCQ; or 73, 146, or 300 GB ⁷ (15K rpm) SAS
Optical drives	DVD-ROM (SATA); DVD/CD-RW combo (SATA); DVD+/-RW Double Layer SuperMulti (SATA) with LightScribe Direct Disc Labeling (Microsoft Windows only, requires LightScribe media for labeling) ⁸
Drive bays	3 external 5.25-inch bays*; 5 internal 3.5-inch bays (4 with acoustic dampening rail assemblies) *Third external 5.25" bay is not full-depth, bottom bay is limited to 200 mm device depth.
Slots	7 full length slots: 2 PCle x16 Gen2 Graphics°, 2 PCle (x8 mechanically, x4 electrically), 1 PCle x8 (switchable as x1 or x8), 1 PCl-X 133 MHz slot, and 1 PCl 32-bit/33 MHz slot
Graphics (Up to two cards)	Professional 2D: NVIDIA Quadro NVS 290 (256 MB) Entry 3D: NVIDIA Quadro FX 370 (256 MB) and NVIDIA Quadro FX 570 (256 MB) Mid-range 3D: ATI FireGL V5600 PCIe (512 MB) and NVIDIA Quadro FX 1700 (512 MB) High-end 3D: NVIDIA Quadro FX 3700 (512 MB), NVIDIA Quadro FX 4600 (768 MB), and NVIDIA Quadro FX 5600 (1.5 GB)
Audio	High Definition Integrated Realtek ALC262 Audio; optional Sound Blaster X-Fi XtremeGamer Audio Card
Network	Dual integrated Broadcom 5755 NetXtreme Gigabit PCle; optional Broadcom 5751 NetXtreme Gigabit PCle; optional Intel Pro 1000 PT Gigabit Ethernet Controller (PCle) ¹⁰
Ports	Front: Internal: Rear: 2 USB 2.0; IEEE 1394; 1 microphone in; 1 headphone out 1 USB 2.0 5 USB 2.0; 1 IEEE 1394; 1 serial; 2 PS/2; 2 RJ-45 to integrated Gigabit LAN; 1 audio in; 1 audio out; 1 microphone in
Input devices	PS/2 standard keyboard; USB standard keyboard; USB Smart Card Keyboard; PS/2 2-button optical scroll mouse; USB 2-button optical scroll mouse; USB 3-button optical mouse; USB SpaceExplorer; USB SpacePilot; USB Laser Scroll Mouse
Dimensions (H x W x D)	17.9 x 8.3 x 20.7 in (45.5 x 21.1 x 52.6 cm)
Power supply	800 watts and 1050 watts 80 PLUS efficient power supply wide ranging, Active Power Factor Correction
Compliance and regulatory	ENERGY STAR® qualified configurations
Monitors (screen size measured diagonally)	HP LP1965 19-inch LCD Monitor; HP LP2065 20-inch LCD Monitor; HP LP2465 24-inch Widescreen LCD Monitor; HP LP3065 30-inch Widescreen LCD Monitor
Warranty	limited three-year next husiness day, parts, labor and 8x5 phone support. Terms and conditions may vary, certain restrictions apply.

Limited three-year next business day, parts, labor and 8x5 phone support; Terms and conditions may vary, certain restrictions apply. Warranty

- Limited three-year next business day, parts, labor and 8x5 phone support; Terms and conditions may vary, certain restrictions apply.

 Gertain Windows Vista product features require advanced or additional hardware. See http://www.microsoft.com/windowsvista/getready/hardwarereag.mspx and http://www.microsoft.com/windowsvista/getready/hardwarereag.mspx and http://www.microsoft.com/windowsvista/getready/hardwarereag.mspx and http://www.microsoft.com/windowsvista/getready/hardwarereag.mspx and http://www.microsoft.com/windowsvista/getready/hardwarereag.mspx and http://www.microsoft.com/windowsvista.com/upgradeadvisor
 Available for end user customers that are a business (including governmental or educational institutions) who are expected to annually order at least 25 Customer Systems with the same Custom Image.

 Quad-Core and Dual Core are new technologies designed to improve performance of multithreaded software provider to determine suitability. Not all customers or software applications will necessarily benefit from use of these technologies.

 64-bit computing on Intel® architecture requires a computer system with a processor, chipset, BIOS, operating system, device drivers and applications enabled for Intel 64 architecture. Processors will not operate (including 32-bit operation) without an Intel 64 architecture-enabled BIOS. Performance will vary depending on your hardware and software.

 GHz refers to internal clock speed of the processor. Other factors besides clock speed may impact system and application performance.

 Actual bus clock rate is less. Listed bus speed represents the effective data transfer rate.

 Hardware RAID is not supported on linux systems. The Linux kernel, with built-in software RAID, provides excellent functionality and performance. It is a good alternative to hardware-based RAID. Please visit http://h20000.www2.hp.com/bc/docs/support/SupportManual/c00060644/c00060684/c00060684.pdf for RAID capabilities with Linux.

 1 GB=1 billion bytes. Actual formatted capacity is less. Up to 8 GB of h

- Ethernet server and network infrastructure is required.

 Service levels and response times for HP Care Packs may vary depending on your geographic location. Restrictions and limitations apply. For details, visit www.hp.com/go/carepack
- © 2008 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express war ranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions confained herein. Intel and Xeon are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Linux is a U.S. registered trademark of Linus Torvalds. Microsoft Windows and Windows Vista are U.S. registered trademarks of Microsoft Corporation. Energy Star is a US registered mark of the United States Environmental Protection Agency.

