

The LIFEBOOK P Series from Fujitsu Siemens Computers opens a new chapter on connectivity and communication.

Powered by the latest Intel® Centrino® processor technology and featuring embedded UMTS/HSDPA/HSUPA*, it ensures wireless connectivity anytime and anywhere – don't care about hotspots. With this notebook you are perfectly equipped wherever you are. Be ready for the next video conference with the integrated ConfCamera.

Smart people on the move appreciate the style and dynamics of a truly different notebook, whether number crunching, word processing or watching a DVD on an amazingly clear and sharp 10.6-inch wide format WXGA glare TFT-display.

The new LIFEBOOK P Series is not only small, it's secure too. Just swipe your finger to the integrated biometric fingerprint sensor or remember a single master password to keep all of your system log-ins and data protected.

Elegance

- Lightest full functional multimedia notebook with an ultraslim modular bay in an extremely small package
- Enjoy the viewing quality of brilliant 10.6 –inch wide format WXGA glare TFT display with integrated ConfCamera

Ergonomics

- Extremely small package fits even on the smallest airplane table
- Modular bay offers highest flexibility: DVD writer or second battery

Connectivity

- Always connected to your emails
 Wireless high-speed connectivity everywhere with embedded UMTS/HSDPA/HSUPA
- Integrated Wireless LAN 802.11 a/b/g Wi-Fi certified

Reliability

- Highest quality design with magnesium lid
- Hard disk drive ShockSensor minimizes data loss and guarantees a higher reliability of your data
- Mechanical and function stability through extensive quality tests
- Special Recover Button and software solution for quick data back-up



* HSUPA dependant on local provider

Security

- Trusted Platform Module (TPM) authenticates system platform to ensure the highest level of data protection - a vault – like combination of an integrated security chip with sophisticated date encryption software.
- Biometric fingerprint sensor puts industry-leading data security at your fingertips. Swipe your finger or remember a single master password to keep all your system log-ins and data protected.



System	LIFEBOOK P7230
Processor Intel® Core™ Solo ULV Processor Intel® Core™ Duo ULV Processor Second level cache	U2500 (1.20 GHz) 2048 KB
Front side bus (FSB)	533 MHz
Chipset Northbridge Southbridge	Intel® 945 GMS ICH7-M
Memory DIMM slots	1
DDR2-533 SDRAM, 533 MHz BIOS	1 GB / 2 GB
BIOS Flash EPROM Interfaces	Phoenix First BIOS
SIM card slot Type I/II PC Card slot Memory card slot (SD/MS/xD) USB 2.0 VGA LAN RJ-45	1 1 2 1
Audio-in (line-in / microphone) Audio-out (line-out / headphone)	1 1
DC-in IEEE1394 Kensington Lock	1 1 1
Docking connector for Port Replicator Port Replicator interfaces (optional):	1
USB 2.0 VGA	3 1
LAN RJ-45 DC-in S-Video out	1 1 1
Line-out / SPDIF Camera	1 Built-in ConfCamera (1.3 mpx
LAN on board	Camera)
built-in 10/100/1000 Mbps Marvell 88E8055	x
Wireless Technologies (WLAN) Import and usage according to country-specific regulations. Dual band antenna Intel® PRO/Wireless 3945 a/b/g WiFi certified	x x 3.6 Mbps download, 384 kbps upload
Optional integrated UMTS also supported are GPRS and EDGE	(7.2 Mbps download, 2.0 Mbps upload planned for Oct 07)
Bluetooth Bluetooth 2.0	х
Audio Stereo speakers Sound chip Internal microphone	2 (stereo) Sigmatel STAC9228 2 digital array microphones
Keyboard and pointing device	82 key, 18mm pitch,
Keyboard Touchpad	2mm key stroke with two mouse buttons and AuthenTec fingerprint stripe sensor
Fingerprint sensor Eco button	with TruePrint Technology™ x x
Recovery button Status LED	X X X
Graphics Intel® 945GMS with integrated 32-bit 3D/2D graphics core with dynamic video memory technology, 256-bit internal pass, 3-D accelerator, up to 224 MB DVMT Direct X10 Pixelshader 2.0 DualView	x x (Windows Vista Business) x x
Display 10.6-inch TFT WXGA (wide format) / 1280 x 768 pixel glare technology 300cd/m ² Max. resolution for external displays	x with LED backlight 1920 x 1200 / true color / 85 Hz

Hard disk drives (internal) *	
S.M.A.R.T.	х
ShockSensor for HDD shock protection	х
60 GB P-ATA UDMA100 (4200 rpm)	х
80 GB P-ATA UDMA100 (4200 rpm)	х
* 1 Gbyte equals one billion bytes, when referring to hard disk drive capacity;	
accessible capacity may vary, also depending on used software and tool.	
Modular Drives	
DVD super-multi incl. RAM	Х
Manageability	
Please refer to http://www.fujitsu-	
siemens.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html Security	
Physical security	
Kensington Lock support	x
System Security	^
Boot sector virus protection	
Trusted Platform module 1.2	X
	Х
Norton Internet Security Symantec	х
User Security User and supervisor BIOS password	×
Hard disk password	x x
Integrated Fingerprint Sensor	x
Fingerprintsoftware	x
SmartCase Logon+	x
Power supply	
1 st Li-lon battery 6 cell	5200mAh (56.2
	Wh)
2 nd Li-Ion battery 6 cell 2300mAh (24.8Wh)	optional
Battery runtime:	
First battery * (Mobile Mark 2002) [up to]	5
First + Second battery * (Mobile Mark 2002) AC adapter 16V/60W Adapter	8.2
Rated voltage (AC input) 100 – 240 V	
Rated frequency 50 – 60 Hz	х
DC output 16 V, 3.75 A	
Operating temperatures	
Relative humidity (non-condensing)	20 % - 85 %
relative numbers (non condensing)	(running)
Ambient temperature	5° - 35° C
	(running)
Dimensions / Weight	27.1 ~ 29.9 x
Dimensions (H x W x D)	272.9 x 200.9
	mm
Weight*	1.25 kg
* Weight may vary depending on actual configuration	- 5
Certificates	
Nordic Swan	х
Energy Star 4.0	х
CE Marking	х
FCC	X
UL/cUL	X
CB Generic Report	X
Energy Star WHQL	x
WiRic ertified	x
Operating System	~
Microsoft Windows Vista® Business/	
Microsoft Windows XP® Professional TwinLoad	х

Software (compatibility / preinstalled)	
Adobe Acrobat Reader	х
WebCam Software	х
Driver and Utility DVD	optional
Eco Power Saving Utility	· x
Easy Guide on-line user documentation	х
Nero Essentials	х
Norton Internet Security (incl. Firewall) on Driver and Utility	
CD	X
Recovery Solution provided via Vista	х
Fingerprintsoftware	х
Toshiba Stack 4.x	х
UMTS watcher	х
DVD Playback Software for VISTA	optional
Accessories (order number)	
AC-adapter	S26391-F5031-L800
Case	S26391-F119-L82
Port Replicator	S26391-F5046-L900
2nd Battery	S26391-F5046-L400
http://www.fujitsu-siemens.com/accessories/	
Spare part availability	5 years

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu-siemens.com/terms_of_use.html

Published by

Fujitsu Siemens Computers nens.com/ htt ://www.fuiitsu-sie