Fujitsu recommends Windows[®] 7.

Data Sheet Fujitsu LIFEBOOK T580 Tablet PC

Small in Size, Great in Style

With the new Fujitsu LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds. Featuring a rotatable 25.7 cm (10.1-inch) display with a slim magnesium lid it's the perfect solution for working on the move. Through integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by your notebook any longer, at just 1.4 kg it's easy to take wherever you like!

The new way of mobile working

Small, light-weight notebook and tablet PC in one. Take your business wherever it goes.

25.7 cm (10.1-inch) tablet PC at just 1.4 kg with magnesium lid – a device you can carry wherever you want.

Be connected to your business wherever you are

Nowadays work can be done from almost everywhere, with this device you won't lose time

unproductive, but can stay connected everywhere

Embedded 3G/UMTS combined with integrated GPS, WLAN and Bluetooth

It's more than a slate, it's a tablet PC

Take advantage of both, a slate device to work with up to 4 fingers or a pen and a keyboard for entering data.

Data input via pen or finger, support of 4-finger multiple touch

Highest security

Security is key, especially for mobile devices used on the move. The LIFEBOOK T580 offers different security features to keep hardware, software and your data safe.

Advanced Theft Protection (Intel[®] Anti Theft & Computrace[®]), SmartCard slot, fingerprint sensor and more







FUJITSU

Components

Operating systems	Windows® 7 Declassional C/ hit		
Operating system	Windows® 7 Professional 64-bit Windows® 7 Home Premium 64-bit		
Operating system compatible	Windows [®] XP Tablet PC Edition 2005		
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 800 MHz, PC3-6400, SO DIMM		
	4 GB (1 module(s) 4 GB) DDR3, 800 MHz, PC3-6400, SO DIMM		
Base unit memory	LIFEBOOK T580 i3-380UM	LIFEBOOK T580 i5-560UM	
Supported capacity RAM (min.)	2 GB		
Supported capacity RAM (max.)	8 GB		
Memory slots total	2		
Memory slot type	SO DIMM (DDR3, 800 MHz)		
Hard disk drives (internal)	SSD SATA, 128 GB, 2.5-inch		
· · · ·	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.		
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
Hard disk notes	ShockSensor for HDD shock protection		
	One Gigabyte equals one billion bytes, when referring to h	nard disk drive capacity.	
	Accessible capacity may vary, also depending on used sof		
	Up to 18 GB of HDD space is reserved for system recovery		
WLAN (optional)	Atheros Minicard b/g/n		
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetoc	oth antenna	
WLAN notes	Import and usage according to country-specific regulations.		
		Sierra Wireless Gobi 2000 (Downlink speed 7.2 Mbit/s, Uplink speed 5.76 Mbit/s)	
Bluetooth (optional)	Bluetooth 2.1		
	Didetooth 2.1		
Base unit	LIFEBOOK T580 i3-380UM	LIFEBOOK T580 i5-560UM	
General system information			
Processor	Intel® Core™ i3-380UM (ULV) * processor (1.33 GHz), 3 MB, 800 MHz	Intel® Core™ i5-560UM (ULV) processor (1.33 GHz), 3 MB, 800 MHz	
Chipset	Intel® HM55		
BIOS features	BIOS Flash EPROM		
	BIOS based on Phoenix TrustedCore Notebook		
Processor notes	*Processor only for retail, SMB, education and governmen	t	
Display			
Display	25.7 cm (10.1-inch), TFT dual digitizer, (HD), LED backlight touchscreen, 1366 x 768 pixel, 200 cd/m		
Display notes	magnesium lid		
Aspect ratio	16:9	16:9	
Brightness - typical	200 cd/m		
Digitizer	Dual Digitizer for pen input plus capacitive 4-finger multi-touch screen		
Ambient light sensor	integrated		
Ambient light sensor notes	While enabled, the ambient light sensor automatically ad	justs the display backlight	
Graphics			
TFT resolution (HDMI)	up to 1920 x 1200		

Graphics			
TFT resolution (VGA)	up to 1920 x 1200		
Max. resolution external display	1920 x 1200 1920 x 1200 / true color / 60 Hz		
Graphics brand name	Intel® HD Graphics		
Graphics features	DirectX® 10.1 support - for stunning 3D graphics and shading effects		
·			
Interfaces			
Memory card slots SmartCard slot	1 (SD/SDHC/SDXC)		
SIM card slot	1 (usable only with 3G/UMTS)		
USB 2.0 total	2		
VGA	1		
HDMI	1		
Ethernet (RJ-45)	1		
DC-in	1		
Audio: line-in / microphone	1		
Audio: line-out / headphone	1		
Internal microphones	1		
Kensington Lock support	1		
Wired communication	Circolis Estaroat /10/100/1000 Mbis/a) Dools 1. DTL 01115		
LAN	Gigabit Ethernet (10/100/1000 Mbit/s) Realtek RTL 8111E		
Keyboard and pointing devices			
	Spill-resistant keyboard		
	Number of keyboard keys: 82, Keyboard pitch: 17.5 mm, Keyboard stroke: 2.0 mm		
	Fingerprint sensor		
	Status LED		
	Tablet Pen Touch-screen		
	Touchpad with two mouse buttons		
Multimodia			
Multimedia	On beard		
Audio type Audio codec	On board Realtek ALC269		
Audio codec			
Camera	Mono speaker, Internal microphone Optional: Built-in webcam, 1.3 megapixel		
Power supply			
AC adapter	19 V / 60 W		
Rated voltage range	100 V - 240 V (AC Input)		
Rated frequency range	50 Hz - 60 Hz		
1st battery options	Li-Ion battery 6-cell, 5800 mAh, 63 Wh		
Due the state to the st	Li-Ion battery 3-cell, 2900 mAh, 31 Wh		
Runtime 1st battery	up to 9:30 h		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product		
	comparisons between manufacturers. It does not quarantee any specific battery runtime which actually can be lower		
	and may vary depending on product model, configuration, application and power management settings. The battery		
	capacity slightly decreases with every charging cycle and over the lifetime.		
Power consumption			
Power consumption note			
i ower consumption note	See white paper Energy Consumption		
Link to Energy White Paper	See white paper Energy Consumption		
Link to Energy White Paper	See white paper Energy Consumption http://docs.ts.fujitsu.com/dl.aspx?id=a3bbdbce-0f2d-42f8-865b-d8e4e74f70e2		
Dimensions / Weight / Environmental	http://docs.ts.fujitsu.com/dl.aspx?id=a3bbdbce-0f2d-42f8-865b-d8e4e74f70e2		
Dimensions / Weight / Environmental Dimensions (W x D x H)	http://docs.ts.fujitsu.com/dl.aspx?id=a3bbdbce-0f2d-42f8-865b-d8e4e74f70e2 270 x 189 x 39.7 (incl. foot)		
Dimensions / Weight / Environmental	http://docs.ts.fujitsu.com/dl.aspx?id=a3bbdbce-0f2d-42f8-865b-d8e4e74f70e2		

Dimensions / Weight / Environmental	
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 % (running)
Additional Software	
Additional software (preinstalled)	Adobe® Reader®
indentional software (premistance)	Camera
	Drivers & Utilities DVD (DUDVD)
	Microsoft [®] Office Starter 2010 (32-bit)
	EasyGuide online user documentation
	Tablet Button Utility
	Microsoft® Touch Pack for Windows® 7
	Norton Internet Security (incl. Firewall) 60 days version
	Display Manager
	Auto Rotation Utility
	Power Saving Utility
	Omnipass security software
	Fujitsu Recovery (Hard Disk Based Recovery)
	Fujitsu Technology Solutions Launch Center
	Microsoft [®] Office Starter: reduced-functionality Word and Excel [®] only, with advertising. No PowerPoint [®] or Outlook [®] .
	Buy Office 2010 to use the full-featured software.
Additional software (optional)	Drivers & Utilities DVD (DUDVD)
	UMTS connection manager (optional with UMTS)
	Recovery DVD (Windows® 7)
Manageability	
Manageability technology	DeskUpdate Driver management
Manageability software	DeskView 10.x client management including:
DeskView components	On/Offline remote client management
·	Detailed system inventory management and reports
	BIOS Management
	Remote power management
	System notifications
	Security Remote Control
	DeskView Helpdesk Integration
	WoL (Wake on LAN)
Supported standards	WMI
	PXE
	BootP (made4you)
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html
Security	
System protection	Kensington Lock support
Audit proof protection	Computrace [®] enabled BIOS
	Norton Internet Security (incl. Firewall) 60 days version
	Write protect option for the Flash EPROM
	Advanced Theft Protection
	User and supervisor BIOS password
	Optional: Trusted platform module (TPM 1.2)
Access protection	Integrated Fingerprint Sensor
Access protection	Hard disk password
Access protection	nalu uisk passwolu
Access protection	User and supervisor BIOS password
Access protection	
Access protection	User and supervisor BIOS password
Access protection Compliance	User and supervisor BIOS password Integrated SmartCard slot

CE
CE!
СВ
IT-Eco-Declaration
EN 60601-1-2:2007 evaluated for use in environment with medical application (optional)
RoHS (Restriction of hazardous substances)
WEEE (Waste electrical and electronic equipment)
ENERGY STAR [®] 5.0
Microsoft Operating Systems (HCT / HCL entry / WHQL)
ISO9241-307 (Pixel fault class II)
EPEAT [®] Silver (dedicated regions)
WiFi certified Wireless LAN modules
https://sp.ts.fujitsu.com/sites/certificates/

Warranty		
Standard Warranty	2 years	
Service level	Collect & Return Service / Bring-in Service (depending on country)	
Maintenance and Support Service	es - the perfect extension	
Recommended Service	3 years, Collect and Return Service, where available: On-site Service	
Spare Parts availability	5 years	
Service Weblink	http://www.fujitsu.com/fts/services/support	

Recommended Accessories

USB-Port Replicator PR07	This Port Replicator is the perfect docking solution for notebooks without a docking connector. Turn your notebook into a desktop complete with two screens for a real productivity boost thanks to the DualView feature. Plus connect to the local area network and to all of your peripherals with a single USB plug.
Microsaver® DS Ultra thin	The Fujitsu Kensington MicroSaver® DS Ultra-Thin notebook lock is the ultimate defense for even the thinnest notebooks. The patented T-bar locking mechanism along with an advanced carbon-tempered steel cable design provides excellent security. It also includes Kensington Master Access so you can manage an unlimited number of locks with a single master key.
Privacy filter	Privacy filters help block the screen view from anyone viewing the computer Order Code: from a side view. 3M's unique microlouver privacy technology allows \$26391-F6097-L312 persons directly in front of the computer to see on-screen data clearly. 3M offers the broadest line of computer filters available.

Prestige Case Mini 13	The Prestige Case Mini 13 protects notebooks with up to 13-inch screens. The front half of the bag has dedicated compartments for your notebook, power cord, office supplies and personal items. The back half of the bag has an expanding, divided compartment for your files.	Order Code: S26391-F1191-L151
Bluetooth® Mouse V470	The latest Bluetooth technology makes cables a thing of the past. The Bluetooth® Mouse V470 has a sensitive laser sensor with a resolution of 1.000 dpi. This delivers smoother cursor control on nearly any surface. Scroll horizontally or vertically with the 4-way tilt scroll wheel and take it wherever you go.	Order Code: LTC:M-RCQ142
External Super Multi DVD Drive	For independent working and entertainment on your business or private trips, Fujitsu offers the small external DVD drive designed to travel with you - in an attractive slim form. Upgrade your notebook or PC with this external drive and use it wherever you are.	Order Code: S26341-F103-L119
HS S2000NC Headset	The HS S2000NC Headset offers more than current headsets. Besides superb sound quality, the headset provides an impressive feature: a button to switch off noise and disburden your ears of unwanted noise level. Thanks to a special technology based on wave inversion this headset reduces unwanted noise by up to 70 % for a quieter audio experience. The sponge cushion specially made by BioProtein ensures optimum comfort for long hours travelling by rail or air.	Order Code: S26391-F7139-L3
Wireless USB Display Adapter	The Wireless USB Display Adapter enables you to connect one more display or projector to any computer with a USB 2.0 port. It's hot pluggable within a 15 m radius with no function key hassle during setup so you can enjoy more desktop area and have more applications visible at one time.	Order Code: S26391-F7138-L300
Wireless Keyboard Set LX900	The Wireless Keyboard LX900 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set with offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption for security.	S26381-K564-L4** (**: Country specific variation)

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK T580, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK T580, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2012-07-02 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their

own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions